Index

A

Acetylkynurenine excretion in pyridoxine-deficient rat, 55.

Ackerman, C. J., and V. Mah. Response of thyroid hormone-deficient rats to a growth factor in duodenal tissue, 263.

Adrenalectomy, cold or pyridoxine deprivation, relative effects of rapeseed and corn oil on rats subjected to, 157.

Age, effect on phosphatides and cholesterol in rat body, 20.

—, influence on utilization of raw soybean meal by chickens, 391.

Aging and food restriction: body composition and hydroxyproline content of tissues, in chick, 350.

Alcohol(s)-acetaldehyde dehydrogenase and liver damage in human alcoholics, 196.

Allison, J. B. See R. W. Wannemacher, Jr., 315.

Alumot, Eugenia. See Zafrira Nitzan, 299.

Alvares, A. P. See L. H. Harbers, 75.

American Institute of Nutrition, 447

— — — — invitation for nominations for 1964 awards, 223, 459.

— — — — invitation for nominations for 1964 fellows, 225, 461.

— — — —, invitation for honorary membership in the, 226,462.

— — — — proceedings of the twenty-seventh annual meeting of the, 447.

Amino acid -ribonucleic acid-ribonuclease interaction in protein-depleted dogs, 315.

Amino acid(s) and casein diets, comparison for growing rat, 243.

— —, essential, in red kidney bean diet, effect on chick growth compared with corn-soybean meal-type diet, 191.

— —, essential-to-nonessential ratios in plasma from rats fed different kinds and amounts of proteins and amino acids, 99.

— — in blood plasma of rats force-fed zein, casein, or their respective hydrolyzates, protein digestion, in vivo in rat, 270.

— — metabolism of rats, effect of protein intake and cold exposure on selected liver enzymes associated with, 107.

— — requirements of children, minimal needs based on nitrogen balance method, 305.

— —, sulfur, noneffectiveness in preventing muscular dystrophy in turkey poult, 327.

— —, supplementation of cereal proteins with, and effect on N retention of young children, 80.

— — supplements with different proteins, effect on growth, guinea pig, 25.

o-Aminohippuric acid excretion in pyridoxine-deficient rat, 55.

α-Aminoisobutyric acid, tissue distribution and excretion in rat, effect of dietary protein level and composition, 91.

Ammonia concentration, growth and urease activity in GI tract of chicks, effect of barbituric acid and chlortetracycline on, 75.

Andros, J. See G. Reussner, Jr., 291.

Anthranilic acid glucuronide excretion in pyridoxine-deficient rat, 55.

Arachidonic acid depletion with long-term feeding of fat-free diet to laying hens, 431.

Arginase, increased activity, and methionine, in rat, 337.

Arginine, minimal requirement for children, 305.

— supplementation of different proteins in guinea pig ration, effect on growth, 25.

Arnich, Lotte. See Nina L. Cohen, 142.

Arscott, G. H., and J. E. Parker. Dietary protein and fertility of male chickens, 311.

Arscott, G. H., and J. A. Harper. Relationship of 2,5-diamino-4,6-diketopyrimidine, 2,4-diaminobutyric acid and a crude preparation of β-cyano-L-alanine to the toxicity of common and hairy vetch seed fed to chicks, 251.

Ataxia in rabbits fed thiamine-free diet, 381.

Atherosclerosis, coronary and aortic, serum and tissue cholesterol, effect of ethyl esters of polyunsaturated fatty acids of cod liver oil in chicken, 414.

B

Balassa, Joseph J. See Henry A. Schroeder, 39, 48.

Barber, C. W. See C. H. Hill, 227.

Barbituric acid and chlortetracycline, effect on growth, ammonia concentration and urease activity in GI tract of chicks, 75.

Bavetta, L. A. See M. E. Nimni, 91.

Beans, red kidney (*Phaseolus vulgaris*), nutritive value for chicks, 191.

Beare, Joyce L., T. K. Murray, N. M. McLaughlan and J. A. Campbell. Relative effects of rapeseed oil and corn oil on rats subjected to adrenalectomy, cold, or pyridoxine deprivation, 157.

Beef, minced, diet, effect of age of rat on ability to withstand low calcium intake, 162.

Behar, M. See R. Bressani, 80.

Berg, Benjamin N., Henry S. Simms and Arthur V. Everitt. Nutrition and longevity in the rat. V. Weaning weight, adult size, and onset of disease, 255.

Bird, H. R. See F. H. Steinke, 60.

Blindness in chick when fed vetch seed, 251.

Body measurements, adult size, related to weaning weight in rat, 255.

Braucher, Pela F. See Jeanne M. Reid, 381.

Bressani, R., D. Wilson, M. Chung, M. Behar and N. S. Scrimshaw. Supplementation of cereal proteins with amino acids. V. Effect of supplementing lime-treated corn with different levels of lysine, tryptophan and isoleucine on the nitrogen retention of children, 80.

Breuer, L. H., Jr., W. G. Pond, R. G. Warner and J. K. Loosli. A comparison of several amino acid and casein diets for the growing rat, 243.

Brown, R. R. See B. C. Korbitz, 55.

C

Cadmium, chromium and lead, effects of on growth and survival of rats, 48.
—, chromium and other trace metals on growth and survival of mice, 39.
—, in vivo interactions with copper, zinc and iron in chick, 227.
Calcium and phosphorus, dietary, levels, influence on magnesium requirement of chick, 181.
—, dietary, and intestinal absorption of iron and cobalt, chicks, 332.
— in bones of young rats fed genistin or genistein, 151.
—, low, intake, induced by minced beef diet, effect of age of rats on ability to withstand, 162.
—, magnesium and phosphorus, effects of varying dietary ratios on utilization in rat, 321.
Calories and fat, diets varying in, and lipid metabolism of young female rats, 397.
— and proteins, extra, counteraction of growth retardation by, in chick, 425.
Calorie(s) intake, protein intake, growth and liver fat content relationships in rat, 279.
Campbell, J. A. See Joyce L. Beare, 157.
Carbohydrate(s), influence on utilization of low protein rations by white rat, 279.
—, utilization by rat of various kinds, 291.
Caries, dental, in rats fed rice diet, 217.
Casein and amino acid diets, comparison for growing rat, 243.
—, protein digestion in vivo in rat, 270.
Cattle rumen, analogous to fundus of rabbit stomach, 171.
Cecum, role in utilization of raw soybean in chicks, 299.
Century, Bernard, and M. K. Horwitt. Effect of dietary lipids upon mitochondrial composition and swelling, 145.
Cereal(s) proteins, supplementation with amino acids, effect of N retention of young children, 80.
Chick(s), unidentified growth factor in fish solubles, 60.
Chicken(s), aging and food restriction: body composition and hydroxyproline content of selected tissues, 350.
— cecum, role in utilization of raw soybean, 299.
—, counteraction of growth retardation of raw soybean meal with extra protein and calories, 425.
—, germfree, intestinal synthesis of folic acid in, 236.
—, hypercholesterolemic, effect of polyunsaturated fatty esters of cod liver oil in, 403.
—, influence of age on utilization of raw soybean meal by, 391.
—, in vivo interactions of cadmium with copper, zinc and iron, 227.
—, male, fertility and dietary protein, 311.
—, monoflora, intestinal synthesis of folic acid in, 236.
—, nutritive value of red kidney beans fed, 191.
—, relationship of 2,4-diaminobutyric acid, crude β-cyano-L-alanine and 2,5-diamino-4,6-diketopyrimidine to toxicity of vetch seed fed to, 251.
—, vitamin D and intestinal absorption of iron and cobalt, 332.
Children, amino acid requirements, 305.
—, young, effect on N retention of amino acid supplementation of cereal protein in, 80.
Chlortetracycline and barbituric acid, effect on growth, ammonia concentration and urease activity in GI tract of chicks, 75.
Choitz, Harold C., Dorothy Kurrie and O. H. Gaebler. Utilization of glycine nitrogen at various levels of glycine intake, 365.
Cholesterol and phosphatides in rat body, effects of growth, diet and age, 20.
— -fed hamsters, pantothenic acid deficiency in, 142.
— metabolism in young female rats fed diets varying in fat and calories, 397.
—, serum, effect of polyunsaturated fatty esters of cod liver oil in hypercholesterolemic chickens, I., II., 403, 414.
Choline and methionine deficinecy, effect on liver choline oxidase activity in young rat, 117.
— oxidase activity, liver, in young rat, effect of methionine and choline deficiency on, 117.
Chromium, cadmium and lead, effects of on growth and survival of rats, 48.
—, cadmium and other trace metals, effect on growth and survival of mice, 39.
Chung, M. See R. Bressani, 80.
Clark, Shirley. See Herschel Sidransky, 117.
Cobalt and iron, intestinal absorption in chicks, and vitamin D, 332.
Cod liver oil, effect of polyunsaturated fatty esters on hypercholesterolemic chickens, 403, 414.
Cohen, Nina L., Lotte Arnich and Ruth Okey. Pantothenic acid deficiency in cholesterol-fed hamsters, 142.
Cold, adrenalectomy or pyridoxine deprivation, relative effects of rapeseed or corn oil on rats subjected to, 157.
— exposure and protein intake, effect on selected liver enzymes associated with amino acid metabolism, in rat, 107.
Copper supplement, prevention of hypochromotrichia in rat, 162.
—, zinc and iron, in vivo interactions with cadmium in chick, 227.
Corn, lime-treated, effect of supplementing with different levels of amino acids, on N retention of young children, 80.
Corn oil, and rapeseed oil, relative effects on rats subjected to adrenalectomy, cold or pyridoxine deprivation, 157.

D

Dajani, Rashid M., Joyce Danielski and James M. Orten. The utilization of ethanol. II. The alcohol-acetaldehyde dehydrogenase systems in the livers of alcohol-treated rats, 196.
Danielski, Joyce. See Rashid M. Dajani, 196.
Davies, David. See Mervyn Griffiths, 171.
Dental caries (see under Teeth).
Denton, C. A. See Edward C. Miller, 431.
2,5-Diamino-4,6-diketopyrimidine, crude β-cyano-L-alanine and 2,4-diaminobutyric acid, relationship to toxicity of vetch seed fed to chicks, 251.
2,4-Diaminobutyric acid, crude β-cyano-L-alinine and 2,5-diamino-4,6-diketopyrimidine, relationship to toxicity of vetch seed fed to chicks, 251.

Diathesis, hemorrhagic, effect of age of rat and methionine on occurrence with irradiated beef ration, 85.
Diet(s), amino acid and casein, comparison for growing rat, 243.
—, carbohydrate, comparison of utilization by rat of various kinds, 291.
—, composition, and tissue distribution and excretion of α-aminoisobutyric acid in rat, 91.
— containing genistin and genistein, biological response of rats to, 151.
—, effect of varying ratios of calcium, magnesium and phosphorus on utilization in rat, 321.
—, effect on phosphatides and cholesterol in rat body, 20.
—, ethionine or excess leucine, adaptation of rats to, 386.
—, fat-free, effects of long-term feeding to laying hens, 431.
—, meat. II. Effect of age of rats on ability to withstand low calcium intake induced by minced beef diet, 162.
—, modifying effect on daily variations of certain liver constituents, in rats, 103.
—, raw soybean, and role of cecum in utilization in chick, 299.
—, red kidney bean, nutritive value for chicks, 191.
—, rice, effect on dental caries in rats, 217.
— varying in fat and calories, lipid metabolism of young female rats, 397.
Disease, onset related to weaning weight and adult body size, in rat, 255.
Dog(s), protein-depleted, serum and liver protein metabolism in, 315.
—, utilization of glycine nitrogen at various levels of glycine intake by, 365.
Duodenal tissue (see under Tissue), 263.
DUPONT, JACQUELINE, AND HARVYE LEWIS. Lipid metabolism of young female rats fed diets varying in fat and calories, 397.
Dystrophy, muscular, in turkey poult, effectiveness of selenium and sulfur amino acids in preventing, 327.

E

EDWARDS, CECILE H., EVELYN L. GADSDEN AND GERALD A. EDWARDS. Utilization of methionine by the adult rat. II. Absorption and tissue uptake of L- and DL-methionine, 69.
EDWARDS, CECILE H., EVELYN L. GADSDEN AND GERALD A. EDWARDS. Utilization of methionine by the adult rat. III. Early incorporation of methionine-methyl-C^{14} and methionine-2-C^{14} into rat tissues, 211.
EDWARDS, GERALD A. See Cecile H. Edwards, 69, 211.
EDWARDS, JR., HARDY M. See Denis Nugara, 181.
Energy, metabolizable, value of soybeans and extracted soybean flakes for hen, effects of heat treatment, 375.
Enzyme activities, and liver glycogen levels of rats, effect of diet on daily variations in, 103.
Erythrocyte survival in rats deficient in vitamin B_6, 185.
— survival in rats deficient in vitamin E, 185.
Escherichia coli, monoinoculation of germfree chicks, and folic acid intestinal synthesis, 236.
Ethanol utilization. II. Alcohol-acetaldehyde dehydrogenase systems in livers of alcohol-treated rats, 196.
Ethionine or excess leucine, adaptation of rats to diets containing, 386.
EVERITT, ARTHUR V. See Benjamin N. Berg, 255.

F

Fat, dietary, protection afforded serum γ_1-globulin of X-irradiated rats, 370.
Fat(s) accretion and growth in rat, 6.
— -free diet, effects of long-term feeding to laying hens, 431.
— increase, and methionine toxicity in rat, 337.
—, liver, protein and calories intake and growth, relationships in rat, 279.
Fatty acid analysis in rats deprived of pyridoxine, 157.
Feed utilization efficiency by various animal species fed similar rations, 343.
Fertility of male chickens and dietary protein, 311.
Fish solubles, unidentified chick growth factor in, 60.
FISHER, HANS, AND PAUL GRIMINGER. Aging and food restriction: Changes in body composition and hydroxyproline content of selected tissues, 350.
FISHER, HANS, AND RALPH SHAPIRO. Counteracting the growth retardation of raw soybean meal with extra protein and calories, 425.
Folic acid synthesis in intestine of germfree and monoflora chicks, 236.
Food restriction and aging: body composition and hydroxyproline content of selected tissues in chick, 350.
FORBES, R. M. Mineral utilization in the rat. I. Effects of varying dietary ratios of calcium, magnesium and phosphorus, 321.
FRIEDRICH, BARBARA. See Marian E. Swendseid, 99.

G

GADSDEN, EVELYN. See Cecile H. Edwards, 69, 211.
GAEBLER, O. H. See Harold C. Choitz, 365.
γ_1-Globulin, serum, of X-irradiated rats, protection of dietary fat afforded, 370.
Genistein, biological response of rats to diet containing, 151.
Genistin, biological response of rats to diet containing, 151.
Glutamic-oxalacetic transaminase, increased activity and methionine, in rat, 337.
Glycine nitrogen, utilization at various levels of glycine intake in dogs, 365.
GRIFFITHS, DERRICK. See James H. Shaw, 123.
GRIFFITHS, MERVYN M., AND DAVID DAVIES. The role of the soft pellets in the production of lactic acid in the rabbit stomach, 171.
GRIMINGER, PAUL. See Hans Fisher, 350.
Growth, ammonia concentration and urease activity in GI tract of chicks, effect of chlortetracycline and barbituric acid on, 75.

— and blood and liver pyridine nucleotides, effect of increments of tryptophan and niacin on, 441.
— and fat accretion in rat, 6.
— and survival of mice, effect of trace metals on, 39.
—, effect of different proteins, with and without amino acid supplementation, in guinea pig, 25.
—, effect of irradiated beef ration supplemented with methionine, in rat, 85.
—, effect on phosphatides and cholesterol in rat body, 20.
— factor in duodenal tissue, response of thyroid hormone-deficient rats, 263.
— factor, unidentified, in fish solubles, chick, 60.
— retardation of raw soybean meal, counteraction with extra protein and calories, in chick, 425.
— -retarding, additive effects of ethionine and excess leucine in rat, 386.
Guinea pig(s), effect of different proteins, 30.
— —, young, effect of protein level on body and organ weights, 30.

H

Hackler, L. R., D. B. Hand, K. H. Steinkraus and J. P. Van Buren. A comparison of the nutritional value of protein from several soybean fractions, 205.
Hamsters, pantothenic acid deficiency in cholesterol-fed, 142.
Hand, D. B. See L. R. Hackler, 205.
Harbers, L. H., A. P. Alvares, A. I. Jacobson and W. J. Visek. Effect of barbituric acid and chlortetracycline upon growth, ammonia concentration, and urease activity in the gastrointestinal tract of chicks, 75.
Harper, A. E. See Mary A. Morrison, 441.
Harper, Alfred E. See Carl Peraino, 270.
Harper, Alfred E. See Pari D. Spolter, 386.
Harper, Alfred E. See Ruta P. Wiener, 279.
Harper, J. A. See G. H. Arscott, 251.
Heat treatment, effects on metabolizable energy value of soybeans and extracted soybean flakes for hen, 375.
Hen(s), effects of heat treatment on metabolizable energy value of soybeans and extracted soybean flakes for, 375.
—, laying, effects of long-term feeding of fat-free diet, 431.
Hill, C. H., G. Matrone, W. L. Payne and C. W. Barber. In vivo interactions of cadmium with copper, zinc and iron, 227.
Hill, F. W., and Ruth Renner. Effects of heat treatment on the metabolizable energy value of soybeans and extracted soybean flakes for the hen, 375.
Histidine, minimal requirement for children, 305.
Horwitt, M. K. See Bernard Century, 145.
Hove, Edwin L. See Jeanne M. Reid, 381.
Humans, alcohol- acetaldehyde dehydrogenase and liver damage in human alcoholics, 196.
Hydrogen ion concentration, effect on fermentation of carbohydrate in intact pellets in rabbit stomach, 171.
3-Hydroxykynurenine excretion in pyridoxine-deficient rat, 55.
Hydroxyproline content of tissues and body composition: aging and food restriction, in chick, 350.
Hypercholesterolemia, dietary, ethyl esters of polyunsaturated fatty acids of cod liver oil in chicken. I. Effect on total serum cholesterol. II. Effect on serum and tissue cholesterol and aortic and coronary atherosclerosis, 403, 414.
Hypochromotrichia, prevention by copper supplement in rat, 162.

I

Impey, S. G. See T. Moore, 162.
Indoxyl sulfate excretion in pyridoxine-deficient rat, 55.
Intestine, folic acid synthesis in monoflora chicks, 236.
Invitation for nominations for 1964 American Institute of Nutrition awards, 223, 459.
Invitation for nomination for 1964 American Institute of Nutrition fellows, 225, 461.
Invitation for nominations for honorary membership in the American Institute of Nutrition, 226, 462.
Iron and cobalt, intestinal absorption in chicks, and vitamin D, 332.
—, copper and zinc, in vivo interactions with cadmium in chick, 227.
— levels in rats fed genistin or genistein, 151.
Irradiation, effect of methionine and age of rat on occurrence of hemorrhagic diathesis in rats fed irradiated beef ration, 85.
Isoleucine, supplementation of lime-treated corn, effect on N retention of young children, 80.

J

Jacobson, A. I. See L. H. Barbers, 75.
Jameson, Eloise, R. J. Martinez and R. M. Ryan. Protection by dietary fat afforded serum γ_1-globulin of X-irradiated rats, 370.
Jensen, Leo S. See H. C. Saxena, 391.
Jensen, Leo S. See E. D. Walter, 327.
Jolliffe, Norman H. — a biographical sketch, 1.

K

Kahn, Samuel G., John Vandeputte, Shirley Wind and Harold Yacowitz. A study of the hypocholesterolemic activity of the ethyl esters of the polyunsaturated fatty acids of cod liver oil in the chicken. I. Effect on total serum cholesterol, 403.
Kahn, Samuel G., Shirley Wind, Adelaide Slocum, Dorothy Pfeffer and Harold Yacowitz. A study of the hypocholesterolemic activity of the ethyl esters of the polyunsaturated fatty acids of cod liver oil in the chicken. II. Effect on serum and tissue cholesterol and aortic and coronary atherosclerosis, 414.
Klain, George J., David A. Vaughan and Lucile N. Vaughan. Effect of protein intake and cold exposure on selected liver enzymes associated with amino acid metabolism, 107.
Klain, George J., David A. Vaughan and Lucile N. Vaughan. Some metabolic effects of methionine in the rat, 337.

KLAUSTERMEIER, D. B. See P. V. Wagh, 191.
KOBAYASHI, KATSUMI. See Itsiro Nakagawa, 305.
KORBITZ, B. C., J. M. PRICE AND R. R. BROWN. Quantitative studies on tryptophan metabolism in the pyridoxine-deficient rat, 55.
KURRIE, DOROTHY. See Harold C. Choitz, 365.
Kynurenine excretion in pyridoxine-deficient rat, 55.

L

Lactic acid production in rabbit stomach, role of soft pellets in, 171.
Lead, chromium and cadmium, effects on growth and survival of rats, 48.
Leucine, excess, or ethionine, adaptation of rats to diets containing, 386.
LEWIS, HARVYE. See Jacqueline Dupont, 397.
LIENER, I. E. See P. V. Wagh, 191.
Linoleate, dietary, and protective effect against X-ray, in rat, 370.
Linoleic and arachidonic acid depletion with long-term feeding of fat-free diet to laying hens, 431.
Lipid metabolism of young female rats fed diets varying in fat and calories, 397.
Lipids, dietary, effect on mitochondrial composition and swelling, rat and chick, 145.
Liver constituents, daily variations, modifying effect of diet on, in rats, 103.
— damage and alcohol-acetaldehyde dehydrogenase levels in human alcoholics, 196.
— fat content, protein and calories intake, and growth, relationships in rat, 279.
— mitochondria composition and swelling, effect of dietary lipids on, rat and chick, 145.
Longevity and nutrition. V. Weaning weight, adult size and onset of diease, in rat, 255.
LOOSLI, J. K. See L. H. Breuer, Jr., 243.
LUCKEY, T. D. See Herman T. Miller, 236.
Lysine supplementation of lime-treated corn, effect on N retention of young children, 80.

M

MAGEE, ADEN C. Biological responses of young rats fed diets containing genistin and genistein, 151.
Magnesium, calcium and phosphorus, effects of varying dietary ratios on utilization in rat, 321.
— deposition in bones of young rats fed genistin or genistein, 151.
— requirement of chick, influence of dietary Ca and P levels, 181.
MAH, V. See C. J. Ackerman, 263.
MALHOTRA, OM P., AND E. F. REBER. Effect of methionine and age of rat on the occurrence of hemorrhagic diathesis in rats fed a ration containing irradiated beef, 85.
MARTIN, P. E. N. See T. Moore, 162.
MARTINEZ, R. J. See Eloise Jameson, 370.
MARVIN, HORACE N. Erythrocyte survival of rats deficient in vitamin E or vitamin B_6, 185.
MASUHARA, T., AND B. B. MIGICOVSKY. Vitamin D and intestinal absorption of iron and cobalt, 332.
MATRONE, G. See C. H. Hill, 227.
McGINNIS, JAMES. See H. C. Saxena, 391.
McLAUGHLAN, J. M. See Joyce L. Beare, 157.
MENGE, H. See Edward C. Miller, 431.
Metabolism, effect of methionine toxicity in rat, 337.
—, serum and liver protein in protein-depleted dogs, 315.
—, steroid, comparison in hamster and rat, 142.
Metals, trace, effect on growth and survival of mice, 39.
Methionine and age of rat, effect on occurrence of hemorrhagic diathesis in rats fed ration containing irradiated beef, 85.
— and choline deficiency, effect on liver choline oxidase activity in young rat, 117.
— supplementation of different proteins in guinea pig ration, effect on growth, 25.
— toxicity in rat, metabolic effects of, 337.
— utilization by adult rat, absorption and tissue uptake of L- and DL-, 69.
— utilization by rat. III. Early incorporation of methionine-methyl-C^{14} and methionine-2-C^{14} into rat tissues, 211.
L-Methionine, absorption, vs. D- isomer, in rat, 69.
MEYER, J. H., AND A. O. NELSON. Efficiency of feed utilization by various animal species fed similar rations, 343.
Mice, effect of chromium, cadmium and other trace metals on growth and survival of, 39.
MICKELSEN, OLAF. See Jeanne M. Reid, 381.
MICKELSEN, OLAF. See Mary E. Reid, 25.
MIGICOVSKY, B. B. See T. Masuhara, 332.
MILLER, CAREY D. Dental caries of rats fed a rice diet and modifications, 217.
MILLER, EDWARD C., H. MENGE AND C. A. DENTON. Effects of long-term feeding of a fat-free diet to laying hens, 431.
MILLER, HERMAN T., AND T. D. LUCKEY. Intestinal synthesis of folic acid in monoflora chicks, 236.
Minerals, trace, effect on growth and survival of mice, 39.
— utilization in rat, effects of varying dietary ratios of calcium, magnesium and phosphorus, 321.
MITRANDER, VITHAL B. See Herschel Sidransky, 117.
MOORE, T., S. G. IMPEY, P. E. N. MARTIN AND K. R. SYMONDS. Meat diets. II. Effect of the age of rats on their ability to withstand the low calcium intake induced by a diet of minced beef, 162.
MORRISON, MARY A., MAY S. REYNOLDS AND A. E. HARPER. Effect of increments of tryptophan and niacin on growth and on the concentrations of blood and liver pyridine nucleotides, 441.
MURRAY, T. K. See Joyce L. Beare, 157.

N

NAKAGAWA, ITSIRO, TETSUZO TAKAHASHI, TAKESHI SUZUKI AND KATSUMI KOBAYASHI. Amino acid requirements of children: Minimal needs of tryptophan, arginine, and histidine based on nitrogen balance method, 305.
NELSON, A. O. See J. H. Meyer, 343.
Neopyrithiamine, addition to thiamine-free diet of rabbits, 381.
Niacin and tryptophan increments, effect on growth and blood and liver pyridine nucleotides in rats, 441.

Nimni, M. E., P. O'Day and L. A. Bavetta. Tissue distribution and excretion of α-aminoisobutyric acid in the rat, 91.
Nitrogen, glycine, utilization at various levels of glycine intake, in dogs, 365.
Nitzan, Zafrira, and Eugenia Alumot. Role of the cecum in the utilization of raw soybean in chicks, 299.
Nugara, Denis, and Hardy M. Edwards, Jr. Influence of dietary Ca and P levels on the Mg requirement of the chick, 181.

O

Obesity, hereditary, in various rat strains, 6.
—, insulin, in rat, 6.
—, nutritional, in various rat strains, 6.
O'Day, P. See M. E. Nimni, 91.
Odoratism in chick when fed vetch seed, 251.
Okey, Ruth. See Nina L. Cohen, 142.
Orten, James. See Rashid M. Dajani, 196.

P

Pantothenic acid deficiency in cholesterol-fed hamsters, 142.
Parker, J. E. See G. H. Arscott, 311.
Payne, W. L. See C. H. Hill, 227.
Pemmican meals, enzyme activities and liver glycogen levels in rats, 103.
Peraino, Carl, and Alfred E. Harper. Observations on protein digestion in vivo. V. Free amino acids in blood plasma of rats force-fed zein, casein, or their respective hydrolyzates, 270.
Pfeffer, Dorothy. See Samuel G. Kahn, 414.
pH (see Hydrogen ion), 171.
Phaseolus vulgaris, red kidney beans, nutritive value for chicks, 191.
Phenylalanine requirement of women consuming minimal tyrosine diet and sparing effect of tyrosine, 111.
Phosphatides and cholesterol in rat body, effects of growth, diet and age, 20.
Phosphorus, calcium and magnesium, effects of varying dietary ratios on utilization in rat, 321.
— deposition in bones of young rats fed genistin or genistein, 151.
— and calcium, dietary, levels, influence on magnesium requirement of chick, 181.
Pike, Ruth. See Janet M. Wardlaw, 355.
Pond, W. G. See L. H. Breuer, Jr., 243.
Pregnancy in rat, effects of high and low sodium intake during. IV. Granulation of renal juxtaglomerular cells and zona glomerulosa width, 355.
Price, J. M. See Korbitz, B. C., 55.
Proceedings of the twenty-seventh annual meeting of the American Institute of Nutrition, 447.
Protein(s) and amino acids, different kinds and amounts, effect on essential-to-nonessential amino acids in plasma from rats fed, 99.
— and calories, extra, counteraction of growth retardation by, in chick, 425.
—, cereal, supplementation with amino acids, effect on nitrogen retention of young children, 80.
—, comparison of nutritional value from several soybean fractions, 205.
— deficiency during reproduction, effect on dental abnormalities in rats, 123.
—, dietary, and diet composition, effect on tissue distribution and excretion of α-aminoisobutyric acid in rat, 91.
—, dietary and fertility of male chickens, 311.
— digestion in vivo. V. Free amino acids in blood plasma of rats force-fed zein, casein, or their respective hydrolyzates, 270.
— fractions, distribution of *alpha-* and methyl carbons of methionine in adult rat tissues, 211.
— intake and cold exposure, effect on selected liver enzymes associated with amino acid metabolism, in rat, 107.
— intake, calorie intake, growth and liver fat content relationships in rat, 279.
— level, effect on body and organ weights in young guinea pig, 33.
— metabolism, serum and liver, in protein-depleted dogs, 315.
— minimal tryptophan, arginine and histidine requirements of children, 305.
— rations, low, influence of carbohydrates on utilization by white rat, 279.
Proteolysis, cecal, and raw soybean diet, in chick, 299.
Prothrombin rate, effect of irradiated beef ration on in rat, 85.
Pyridine nucleotides, blood and liver, effect of increments of tryptophan and niacin on growth and concentrations of, in rat, 441.
Pyridoxine deprivation, adrenalectomy or cold, relative effects of corn oil and rapeseed oil on rats subjected to, 157.
— -deficient rat, quantitative studies on tryptophan metabolism in, 55.
Pyruvic transaminase, increased activity and methionine, in rat, 337.

R

Rabbit(s) stomach, role of soft pellets in production of lactic acid in, 171.
—, thiamine deficiency in, 381.
Rapeseed oil, and corn oil, relative effects on rats subjected to adrenalectomy, cold or pyridoxine deprivation, 157.
Rat(s), age of, and methionine, effect on occurrence of hemorrhagic diathesis when fed irradiated beef ration, 85.
— body, effects of growth, diet and age on phosphatides and cholesterol in, 20.
—, effects of varying dietary ratios of calcium, magnesium and phosphorus on utilization in, 321.
—, growing, comparison of amino acid and casein diet for, 243.
—, metabolic effects of methionine toxicity in, 337.
—, nutrition and longevity. V. Weaning weight, adult size, and onset of disease, 255.
—, ratio of essential-to-nonessential amino acids in plasma, different kinds and amounts of proteins and amino acids, 99.
— strain, effect of ration on obesity, 6.

—, thyroid hormone-deficient, response to growth factor in duodenal tissue, 263.
—, utilization of various starches and sugars, 291.
—, young, effect of methionine and choline deficiency on liver choline oxidase activity, 117.
Ration(s), guinea pig, supplementation of various proteins with amino acids, 25.
—, similar, fed various animal species and efficiency of utilization, 343.
Reber, E. F. See Om P. Malhotra, 85.
Reid, Jeanne M., Edwin L. Hove, Pela F. Braucher and Olaf Mickelsen. Thiamine deficiency in rabbits, 381.
Reid, Mary E. Nutritional studies with the guinea pig. IX. Effect of dietary protein level on body weight and organ weights in young guinea pigs, 33.
Reid, Mary E., and Olaf Mickelsen. Nutritional studies with the guinea pig. VIII. Effect of different proteins, with and without amino acid supplements, on growth, 25.
Renner, Ruth. See F. W. Hill, 375.
Reproduction, dental abnormalities in rats attributable to protein deficiency during, 123.
Reussner, Jr., G., J. Andros and R. Thiessen, Jr. Studies on the utilization of various starches and sugars in the rat, 291.
Reynolds, May S. See Mary A. Morrison, 441.
Ribonuclease-ribonucleic acid-amino acid interaction in protein-depleted dog, 315.
Ribonucleic acid-ribonuclease-amino acid interaction in protein-depleted dog, 315.
Rice diet, effect on dental caries in rats, 217.
Russell, T. J. See R. W. Wannemacher, Jr., 315.
Ryan, R. M. See Eloise Jameson, 370.

S

Saxena, H. C., Leo S. Jensen and James McGinnis. Influence of age on utilization of raw soybean meal by chickens, 391.
Schroeder, Henry A., William H. Vinton, Jr., and Joseph J. Balassa. Effects of chromium, cadmium and lead on the growth and survival of rats, 48.
Schroeder, Henry A., William H. Vinton, Jr. and Joseph J. Balassa. Effect of chromium, cadmium and other trace metals on the growth and survival of mice, 39.
Scrimshaw, N. S., See R. Bressani, 80.
Seeds, vetch, common and hairy, toxicity in chick, when fed, 251.
Selenium, effectiveness in preventing muscular dystrophy in turkey poult, 327.
Shapiro, Ralph. See Hans Fisher, 425.
Shaw, James H., and Derrick Griffiths. Dental abnormalities in rats attributable to protein deficiency during reproduction, 123.
Sheep rumen, analogous to fundus of rabbit stomach, 171.
Sidransky, Herschel, Vithal B. Mitbander and Shirley Clark. Effect of methionine and choline deficiency on liver choline oxidase activity in young rats, 117.
Simms, Henry S. See Benjamin N. Berg, 255.
Slocum, Adelaide. See Samuel G. Kahn, 414.
Sodium, high and low intakes, effects during pregnancy in rat. IV. Granulation of renal juxtaglomerular cells and zona glomerulosa width, 355.
Soybean(s) fractions, comparison of nutritional value of protein from, 205.
— and extracted soybean flakes, effects of heat treatment on metabolizable energy value in hen, 375.
— meal, influence of age on utilization by chickens, 391.
— meal, raw, counteraction of growth retardation with extra protein and calories, in chick, 425.
—, raw, role of cecum in utilization in chicks, 299.
Species, animal, various, feed utilization of similar rations, 343.
Spolter, Pari D., and Alfred E. Harper. Adaptation of rats to diets containing ethionine or excess leucine, 386.
Starches and sugars, utilization in rat, 291.
Steinke, F. H., H. R. Bird and F. M. Strong. Unidentified chick growth factor in fish solubles, 60.
Steinkraus, K. H. See L. R. Hackler, 205.
Steroid metabolism, comparison in hamster and rat, 142.
Strong, F. M. See F. H. Steinke, 60.
Sugars and starches, utilization in rat, 291.
Sulfur amino acids, noneffectiveness in preventing muscular dystrophy in turkey poult, 327.
Survival and growth of mice, effect of chromium, cadmium and other trace metals on, 39.
Suzuki, Tetsuzo. See Itsiro Nakagawa, 305.
Swendseid, M. E., J. Villalobos and B. Freidrich. Ratios of essential-to-nonessential amino acids in plasma from rats fed different kinds and amounts of proteins and amino acids, 99.
Symonds. K. R. See T. Moore, 162.

T

Takahashi, Tetsuzo, See Itsiro Nakagawa, 305.
Teeth, caries in rats fed rice diet, 217.
—, dental abnormalities in rats attributable to protein deficiency during reproduction, 123.
Thiamine deficiency in rabbits, 381.
Thiessen, Jr., R. See G. Reussner, Jr., 291.
Thyroid hormone-deficient rats, response of to growth factor in duodenal tissue, 263.
Thyroxine, sensitivity in rat and chick, effect of variations in dietary lipid on as swelling agents, 145.
Tissue(s), duodenal, response of thyroid hormone-deficient rats to growth factor in, 263.
Tolbert, Bernadine, and Johnnie H. Watts. Phenylalanine requirement of women consuming a minimal tyrosine diet and the sparing effect of tyrosine on the phenylalanine requirement, 111.
Toxicity, methionine, metabolic effects of in rat, 337.
Tryptophan and niacin increments, effect on growth and blood and liver pyridine nucleotides in rats, 441.
— metabolism in pyridoxine-deficient rat, quantitative studies on, 55.

—, minimal requirement for children, 305.
— pyrrolase, increased activity, and methionine, in rat, 337.
— supplementation of different proteins in guinea pig ration, effect on growth, 25.
— supplementation of lime-treated corn, effect on N retention of young children, 80.
Turkey poults, effectiveness of sulfur amino acids and selenium in preventing muscular dystrophy, 327.
Tyrosine, sparing effect on phenylalanine requirement of women, 111.

U

Urease activity, growth, ammonia concentration in GI tract of chicks, effect of barbituric acid and chlortetracycline on, 75.
Utilization, feed, by various animal species fed similar rations, 343.
— of raw soybean meal by chickens, influence of age on, 391.

V

Van Buren, J. P. See L. R. Hackler, 205.
Vandeputte, John. See Samuel G. Kahn, 403.
Vaughan, David A. See George J. Klain, 107, 337.
Vaughan, David A., and Robert L. Winders. Modifying effect of diet on daily variations of certain liver constituents, 103.
Vaughan, Lucile. See George J. Klain, 107, 337.
Vetch seed (see under Seeds), 251.
Villalobos, Juanita. See Marian E. Swendseid, 99.
Vinton, Jr., William H. See Henry A. Schroeder, 39, 48.
Visek, W. J. See L. H. Harbers, 75.
Vitamin B_6, erythrocyte survival of rats deficient in, 185.
— D and intestinal absorption of iron and cobalt, chicks, 332.
— E, erythrocyte survival of rats deficient in, 185.

W

Wagh, P. V., D. F. Klaustermeier, P. E. Waibel and I. E. Liener. Nutritive value of red kidney beans (*Phaseolus vulgaris*) for chicks, 191.
Waibel, P. E. See P. V. Wagh, 191.
Walter, E. D., and Leo S. Jensen. Effectiveness of selenium and noneffectiveness of sulfur amino acids in preventing muscular dystrophy in the turkey poult, 327.
Wannemacher, Jr., R. W., T. J. Russell and J. B. Allison. Serum and liver protein metabolism in protein- depleted dogs, 315.
Wardlaw, Janet M., and Ruth L. Pike. Some effects of high and low sodium intake during pregnancy in the rat. IV. Granulation of renal juxtaglomerular cells and zona glomerulosa width, 355.
Warner, R. G. See L. H. Breuer, Jr., 243.
Watts, Johnnie H. See Bernadine Tolbert, 111.
Weight(s), weaning, adult size and onset of disease in rat, related to nutrition and longevity, 255.
—, body and organ, effect of protein level in guinea pig, 33.
Wiener, Ruta P., Minoru Yoshida and A. E. Harper. Influence of various carbohydrates on the utilization of low protein rations by the white rat. V. Relationships among protein intake, calories intake, growth and liver fat content, 279.
Williams, R. R. Norman H. Jolliffe — a biographical sketch, 1.
Wilson, D. See R. Bressani, 80.
Wind, Shirley. See Samuel G. Kahn, 403, 414.
Winders, Robert L. See David A. Vaughan, 103.
Women, phenylalanine requirement and sparing effect of tyrosine, 111.

X

Xanthurenic acid excretion in pyridoxine-deficient rat, 55.
X-ray, protection against by dietary linoleate or fat, in rat, 370.

Y

Yacowitz, Harold. See Samuel G. Kahn, 403, 414.
Yoshida, Minoru. See Ruta P. Wiener, 279.

Z

Zein, protein digestion in vivo in rat, 270.
Zinc, copper and iron, in vivo interactions with cadmium in chick, 227.
— levels in rats fed genistin or genistein, 151.
Zucker, Lois M. See Theodore F. Zucker, 6.
Zucker, Theodore F., and Lois M. Zucker. Fat accretion and growth in the rat, 6.
Zucker, Theodore F., and Lois M. Zucker. Phosphatides and cholesterol in the rat body: Effects of growth, diet and age, 20.